APPROVAL SHEET

CUSTOMER: MR NGUYENTHANHVINH

MODELNO : AF2206HBL

DESCRIPTION: AC 散热风扇

SIGNATURE OF COMPANY APPROVAL

核 准		审 核	赵美技	制 作	王宜建	发生日期	2018.4.16
						修改日期	
						版本	

深圳市联翔电机有限公司

ADD:4/F BUITEB,Building82,xin xia industrial city,Pinghu

SHENZHEN LIAN XIANG MOTOT CO.,LCN

TwonLonggang District.Guangdong Province

TEL:0755-84252856 FAX:0755-84252842

E-mail:lunan@szlianxiang.com

http: // www.szlianxiang.com

1.Product Specification ------ Page3

2.Environmental Science ------- Page4

3.Main Materials ------- Page4

4.Electcal Specifications ------- Page5

5.Dimension Chart ------- Page5

6.Noise Measurement ------- Page6

7.Fen Performance Curve Chart ------- Page6

8.Physical map ------- Page7

1.Product Specification

1	Name	单位（Company)	AC FAN
2	Modelno		AF2206HBL
3	Appearance Size		200*200*60
4	Working Voltage	V	AC220-240V
5	Rated Voltage	V	AC220V
6	Rated Current	A	0.36±10%A
7	Rated input Power	W	52±10%W
8	Rated Speed	RPM	2750±10%RPM
9	Maximum Air Flow	CFM	760CFM
11	Noise	dB(A)	≦60dB(A
12	Dielectric Strength		2000VAC click
13			
14			

2.Environmental Science

1	Operating Temperature	-30-+90℃
2	Storage Temperature	-50-+90℃
3	Working Humidity	RH20％-85％

3.Main Materials

1	Plastic Material	PBT - V0
2	Outer Frame	铝合金（Aluminium Alloy)
3	Bearing Category	滚珠　　（Ball Bearing）
3	Fixed Rotor	矽钢片（The Silicon Steetl Sheet-1000)
5	Power Cord	1015#20 450MM
6	Enameled wire	(QA-1)2UEW

4.Electrical Specifications

1	Insulation Resisstance	100MΩ Min At 500V VDC
2	Insulation Class	E
3	Running Direction	Clockwise
4	Service Life	30000 小时（30000h)

5.Dimension Chart



6.Noise Measurement



7.Fen Performance Curve Chart



8.0　实物图


AC TUBE AXIAL FAN
MODEL
AF2206HBL-A
LUNAN
AC FAN
220V
220/240V 55/65W
JET 50/60Hz
屋内用 ORIENTAL MOTOR
IMPEDANCE PROTECTED
BALL BEARINGS
IP55
MADE IN CHINA